

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Aldino-----	95	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
AdB2: Aldino-----	95	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.50 0.39
AdC2: Aldino-----	95	Somewhat limited Slope Depth to saturated zone	0.63 0.39	Very limited Depth to saturated zone Slope	1.00 0.63	Very limited Slope Depth to saturated zone	1.00 0.39
AsC: Aldino-----	95	Very limited Content of large stones Depth to saturated zone	1.00 0.39	Very limited Depth to saturated zone Content of large stones	1.00 1.00	Very limited Slope Content of large stones Depth to saturated zone	1.00 1.00 0.39
AuB: Aldino-----	50	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
Urban Land-----	30	Not rated		Not rated		Not rated	
Av: Alluvial Land-----	100	Not rated		Not rated		Not rated	
BaA: Baile-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BaB: Baile-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.50 0.50
BmA: Baltimore-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
BmB2: Baltimore-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
BmC2: Baltimore-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
BnB: Baltimore-----	50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
Br: Barclay-----	95	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
BtA: Beltsville-----	95	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
BtB: Beltsville-----	95	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
BtC2: Beltsville-----	95	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.39
BuB: Beltsville-----	50	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
Urban Land-----	30	Not rated		Not rated		Not rated	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BuC: Beltsville-----	50	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Very limited Slope Depth to saturated zone	1.00 0.39
Urban Land-----	30	Not rated		Not rated		Not rated	
BwB2: Brandywine-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
BwC2: Brandywine-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
ByD2: Brandywine-----	100	Very limited Slope Content of large stones	1.00 0.01	Very limited Slope Content of large stones	1.00 0.01	Very limited Slope Content of large stones	1.00 0.01
ByD3: Brandywine-----	100	Very limited Slope Content of large stones	1.00 0.01	Very limited Slope Content of large stones	1.00 0.01	Very limited Slope Content of large stones	1.00 0.01
ByE: Brandywine-----	100	Very limited Slope Content of large stones	1.00 0.01	Very limited Slope Content of large stones	1.00 0.01	Very limited Slope Content of large stones	1.00 0.01
CaA: Captina-----	95	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
CaB2: Captina-----	95	Not limited		Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.50
CcA: Chester-----	100	Not limited		Not limited		Not limited	
CcB2: Chester-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
CcC2: Chester-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CgB2: Chester-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
CgC2: Chester-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
ChB2: Chillum-----	100	Not limited		Not limited		Not limited	
ChC2: Chillum-----	100	Not limited		Not limited		Very limited Slope	1.00
ChC3: Chillum-----	100	Not limited		Not limited		Very limited Slope	1.00
CkB2: Chillum-----	50	Not limited		Not limited		Not limited	
Neshaminy-----	30	Not limited		Not limited		Not limited	
CkC2: Chillum-----	50	Not limited		Not limited		Very limited Slope	1.00
Neshaminy-----	30	Not limited		Not limited		Very limited Slope	1.00
CkD2: Chillum-----	50	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
Neshaminy-----	30	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
ClB: Chillum-----	50	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
ClD: Chillum-----	50	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
CmB: Christiana-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
CmC2: Christiana-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Very limited Slope Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CnB2: Chrome-----	100	Somewhat limited Shrink-swell	0.50	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope	0.50
		Depth to hard bedrock	0.42	Shrink-swell	0.50	Shrink-swell	0.50
						Depth to hard bedrock	0.42
CoC3: Chrome-----	100	Somewhat limited Shrink-swell	0.50	Very limited Depth to hard bedrock	1.00	Very limited Slope	1.00
		Depth to hard bedrock	0.42	Shrink-swell	0.50	Shrink-swell	0.50
		Slope	0.04	Slope	0.04	Depth to hard bedrock	0.42
CoE3: Chrome-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Shrink-swell	0.50	Depth to hard bedrock	1.00	Shrink-swell	0.50
		Depth to hard bedrock	0.42	Shrink-swell	0.50	Depth to hard bedrock	0.42
Cp: Clay Pits-----	95	Not rated		Not rated		Not rated	
Ct: Coastal Beaches----	95	Not rated		Not rated		Not rated	
Cu: Codorus-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	0.98	Depth to saturated zone	1.00	Depth to saturated zone	0.98
Cv: Comus-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
CwB2: Conestoga-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
CwC2: Conestoga-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DcB: Delanco-----	95	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.81 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Slope Shrink-swell	1.00 0.81 0.50 0.50
Du: Dunning-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
EdB2: Edgemont-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
EdC2: Edgemont-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
EgD: Edgemont-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
EgE: Edgemont-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
EhB2: Elioak-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
EhC2: Elioak-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
EkB2: Elioak-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
EkC2: Elioak-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
ElC3: Elioak-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Em: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
En: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Eo: Elkton-----	50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
Urban Land-----	30	Not rated		Not rated		Not rated	
EsB: Elsinboro-----	100	Not limited		Somewhat limited Depth to saturated zone	0.16	Somewhat limited Slope	0.50
EsC2: Elsinboro-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to saturated zone	0.63 0.16	Very limited Slope	1.00
Fa: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Fs: Fallsington-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
FtB: Fort Mott-----	100	Not limited		Not limited		Not limited	
GaB: Galestown-----	100	Not limited		Not limited		Not limited	
GaC: Galestown-----	100	Not limited		Not limited		Very limited Slope	1.00
GcB2: Glenelg-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
GcC2: Glenelg-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
GcC3: Glenelg-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GcD2: Glenelg-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GcD3: Glenelg-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GgB2: Glenelg-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
GgC2: Glenelg-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
GgD2: Glenelg-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GgD3: Glenelg-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
GlB: Glenelg-----	50	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
GlC: Glenelg-----	50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
GnA: Glenville-----	95	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
GnB: Glenville-----	95	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone Slope	0.81 0.50
GuB: Glenville-----	50	Somewhat limited Depth to saturated zone	0.81	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.81
Urban Land-----	30	Not rated		Not rated		Not rated	
HaA: Hagerstown-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HaB2: Hagerstown-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.50 0.50
HaC2: Hagerstown-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
Hb: Hatboro-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
HoB2: Hollinger-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
HoC2: Hollinger-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
HrD3: Hollinger-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Conestoga-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
HsC: Hollinger-----	50	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Conestoga-----	50	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Iu: Iuka-----	95	Very limited Flooding Depth to saturated zone	1.00 0.39	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.39
JpB: Joppa-----	100	Not limited		Not limited		Not limited	
JpC2: Joppa-----	100	Not limited		Not limited		Very limited Slope	1.00
JpD2: Joppa-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
JuD: Joppa-----	50	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Not rated	
KeB2: Kelly-----	95	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.42	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.39 0.12
KeC2: Kelly-----	95	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Depth to hard bedrock Slope	1.00 1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 1.00
KsC: Kelly-----	95	Not limited		Somewhat limited Depth to hard bedrock	0.42	Very limited Slope	1.00
KuB: Kelly-----	50	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.42	Very limited Shrink-swell Depth to saturated zone	1.00 0.39
Urban Land-----	30	Not rated		Not rated		Not rated	
LeB2: Legore-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
LeC2: Legore-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
LeD2: Legore-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
LeE: Legore-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
LfC: Legore-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
LfD: Legore-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LfE: Legore-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
LgC3: Legore-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
LgD3: Legore-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
LhB: Legore-----	50	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
LhC: Legore-----	50	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
LlB: Lenoir-----	80	Somewhat limited Depth to saturated zone Shrink-swell	0.81 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.81 0.50
LmB: Lenoir-----	80	Somewhat limited Depth to saturated zone Shrink-swell	0.81 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.81 0.50
LmC2: Lenoir-----	85	Somewhat limited Depth to saturated zone Shrink-swell	0.81 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Slope	1.00
		Slope	0.04	Slope	0.04	Depth to saturated zone Shrink-swell	0.81 0.50
LnC3: Lenoir-----	85	Somewhat limited Depth to saturated zone Shrink-swell	0.81 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Slope	1.00
		Slope	0.04	Slope	0.04	Depth to saturated zone Shrink-swell	0.81 0.50
LoB: Lenoir-----	50	Somewhat limited Depth to saturated zone Shrink-swell	0.81 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.81 0.50

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Urban Land-----	30	Not rated		Not rated		Not rated	
Lr: Leonardtown-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Ls: Lindside-----	95	Very limited Flooding Depth to saturated zone	1.00 0.07	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.07
LyB: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyD: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
LyE: Loamy And Clayey Lan	100	Not rated		Not rated		Not rated	
Ma: Made Land-----	100	Not rated		Not rated		Not rated	
MbB2: Manor-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
MbC2: Manor-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
MbC3: Manor-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
MbD2: Manor-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MbD3: Manor-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
McB2: Manor-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
McC2: Manor-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
McC3: Manor-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
McD2: Manor-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
McD3: Manor-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MdE: Manor-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
MeD: Manor-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Urban Land-----	30	Not rated		Not rated		Not rated	
MgC: Manor-----	50	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Glenelg-----	50	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
MhD: Manor-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Brandywine-----	50	Very limited Slope Depth to hard bedrock	1.00 0.42	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.42
MhE: Manor-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Brandywine-----	50	Very limited Slope Depth to hard bedrock	1.00 0.42	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.42
MkA: Matapeake-----	100	Not limited		Not limited		Not limited	
MkB: Matapeake-----	100	Not limited		Not limited		Not limited	
MkC2: Matapeake-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
M1A: Mattapex-----	95	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
M1B: Mattapex-----	95	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
MmB: Mattapex-----	50	Somewhat limited Depth to saturated zone	0.07	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.07
Urban Land-----	30	Not rated		Not rated		Not rated	
Mn: Melvin-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Mo: Melvin-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Mr: Mine Dumps And Quarr	95	Not rated		Not rated		Not rated	
MsB2: Montalto-----	100	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell Slope	1.00 0.50
MsC2: Montalto-----	100	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Slope	1.00 0.63	Very limited Slope Shrink-swell	1.00 1.00
MtB2: Mt. Airy-----	100	Not limited		Somewhat limited Depth to soft bedrock	0.42	Somewhat limited Slope	0.50
MtC2: Mt. Airy-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope Depth to soft bedrock	0.63 0.42	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MtD2: Mt. Airy-----	100	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.42	Very limited Slope	1.00
MtD3: Mt. Airy-----	100	Very limited Slope	1.00	Very limited Slope Depth to soft bedrock	1.00 0.42	Very limited Slope	1.00
NeB2: Neshaminy-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
NeC2: Neshaminy-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
Ot: Othello-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Po: Pocomoke-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
ReC2: Relay-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to hard bedrock	0.63 0.50 0.13	Very limited Slope Shrink-swell	1.00 0.50
ReD2: Relay-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 0.50 0.13	Very limited Slope Shrink-swell	1.00 0.50
RsD: Relay-----	100	Very limited Shrink-swell Slope	1.00 0.96	Very limited Shrink-swell Slope	1.00 0.96	Very limited Shrink-swell Slope	1.00 1.00
RsE: Relay-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RyD3: Relay-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 0.50 0.13	Very limited Slope Shrink-swell	1.00 0.50
Sg: Sand And Gravel Pits	95	Not rated		Not rated		Not rated	
ShA: Sassafras-----	100	Not limited		Not limited		Not limited	
ShB: Sassafras-----	100	Not limited		Not limited		Not limited	
ShC2: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
ShC3: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
ShD2: Sassafras-----	100	Somewhat limited Slope	0.84	Somewhat limited Slope	0.84	Very limited Slope	1.00
SlA: Sassafras-----	100	Not limited		Not limited		Not limited	
SlB: Sassafras-----	100	Not limited		Not limited		Not limited	
SlC2: Sassafras-----	100	Not limited		Not limited		Very limited Slope	1.00
SnB: Sassafras-----	50	Not limited		Not limited		Not limited	
Urban Land-----	30	Not rated		Not rated		Not rated	
SsD3: Sassafras-----	50	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
Joppa-----	50	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Very limited Slope	1.00
SsE: Sassafras-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Joppa-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
St: Stony Land-----	100	Not rated		Not rated		Not rated	
SuB2: Sunnyside-----	100	Not limited		Not limited		Not limited	
Sw: Swamp-----	100	Not rated		Not rated		Not rated	
Tm: Tidal Marsh-----	100	Not rated		Not rated		Not rated	
Ub: Paved Areas-----	100	Not rated		Not rated		Not rated	
WaA: Watchung-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
WaB: Watchung-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.50 0.50
WcB: Watchung-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50
WdA: Woodstown-----	95	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WdB: Woodstown-----	95	Not limited		Very limited Depth to saturated zone	1.00	Not limited	
WoA: Woodstown-----	95	Not limited		Very limited Depth to saturated zone	1.00	Not limited	

Table ENG-3.--Building Site Development--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
WoB: Woodstown-----	95	Not limited		Very limited Depth to saturated zone	1.00	Not limited	

